

ORDINANCE NO. 2019-01

AN ORDINANCE OF THE SELMA-KINGSBURG-FOWLER COUNTY SANITATION DISTRICT AMENDING ORDINANCE NO. 3, "AN ORDINANCE PROVIDING FOR THE ESTABLISHMENT OF SEWER SERVICE CHARGES FOR SERVICES AND FACILITIES FURNISHED BY DISTRICT'S SEWAGE SYSTEM, COLLECTION PROCEDURES, PENALTIES FOR DELINQUENCY AND RESTRICTION ON THE USE OF FUNDS DERIVED" TO INCREASE SEWER SERVICE RATES.

The Board of Directors of the Selma-Kingsburg-Fowler County Sanitation District, Fresno County, California, ordains as follows:

**SECTION 1.** Ordinance No. 3 entitled "An Ordinance Providing for the Establishment of Sewer Service Charges for Services and Facilities Furnished by District's Sewage System, Collection Procedures, Penalties for Delinquency and Restriction on the Use of Funds Derived" was enacted by the Board on September 2, 1971 and has been amended numerous times over the years. Ordinance No. 3 was last amended on July 13, 2017 by Ordinance No. 2017-02 and is referred to in this ordinance as "Ordinance No. 3, as amended."

**SECTION 2.** On June 13, 2019, the Board of Directors held a public hearing in accordance with Proposition 218 to consider increases to sewer service rates. After closing the public hearing, the Board considered and adopted Resolution No. 2019-15 ratifying the Proposition 218 process relating to increased sewer service rates and authorizing the adoption of an ordinance adopting increased sewer service rates. This ordinance amends Ordinance No. 3, as amended, and adopts increased sewer service rates.

**SECTION 3.** Section 4 of Ordinance No. 3, as amended, is hereby amended as follows:

**SECTION 4. RATES.**

- A. The sewer service rates set forth in Ordinance No. 3 as amended by Ordinance No. 2017-02 shall remain in effect until August 31, 2019.

- B. Effective September 1, 2019, the annual sewer service rates shall be \$466.40 per year for Selma, \$436.40 per year for Kingsburg, and \$452.40 per year for Fowler for each equivalent single-family residence (ESFR).
- C. The FY 2019-2020 assessed rates which are transmitted to the County Assessor for collection shall reflect amounts consistent with Sections 4A and 4B hereinabove.
- D. Effective July 1, 2020, the annual sewer service rates shall be \$482.42 per year for Selma, \$450.42 per year for Kingsburg, and \$466.42 per year for Fowler for each equivalent single-family residence (ESFR). The FY 2020-2021 assessed rates which are transmitted to the County Assessor for collection shall reflect the amounts in this Section 4D.
- E. Effective July 1, 2021, the annual sewer service rates shall be \$498.93 per year for Selma, \$466.93 per year for Kingsburg, and \$482.93 per year for Fowler for each equivalent single-family residence (ESFR). The FY 2021-2022 assessed rates which are transmitted to the County Assessor for collection shall reflect the amounts in this Section 4D.
- F. Effective July 1, 2022, the annual sewer service rates shall be \$515.95 per year for Selma, \$481.95 per year for Kingsburg, and \$497.95 per year for Fowler for each equivalent single-family residence (ESFR). The FY 2022-2023 assessed rates which are transmitted to the County Assessor for collection shall reflect the amounts in this Section 4D.
- G. Effective July 1, 2023, the annual sewer service rates shall be \$533.50 per year for Selma, \$499.50 per year for Kingsburg, and \$515.50 per year for Fowler for each equivalent single-family residence (ESFR). The FY 2023-2024 assessed rates which are transmitted to the County Assessor for collection shall reflect the amounts in this Section 4D.

H. Services outside the District boundary shall be charged annually a surcharge equal to Ten Dollars (\$10.00), to cover administrative costs and such other costs of the District not covered by the single-family residence (SFR) unit charge.

EXHIBITS “A” and “B” to Ordinance No. 2017-02 shall remain in effect until August 31, 2019, at which time they will become null and void. Exhibit “A” which is attached to this Ordinance and incorporated by reference as if fully set forth represents the Rate Schedule Summary for all user classes effective September 1, 2019. EXHIBIT “B” which is attached to this Ordinance and incorporated by reference as if fully set forth represents the Pro-Rated Rate Schedule Summary for all user classes effective fiscal year 2019-20. EXHIBIT “C” which is attached to this Ordinance and incorporated by reference as if fully set forth represents the Rate Schedule Summary for all user classes effective July 1, 2020. EXHIBIT “D” which is attached to this Ordinance and incorporated by reference as if fully set forth represents the Rate Schedule Summary for all user classes effective July 1, 2021. EXHIBIT “E” which is attached to this Ordinance and incorporated by reference as if fully set forth represents the Rate Schedule Summary for all user classes effective July 1, 2022. EXHIBIT “F” which is attached to this Ordinance and incorporated by reference as if fully set forth represents the Rate Schedule Summary for all user classes effective July 1, 2023.

**SECTION 4.** Section 7 of Ordinance No. 3, as amended, is hereby amended as follows:

**SECTION 7. INDUSTRIAL USERS.**

Users in the industrial classes shall pay in monthly installments an annual fixed charge based on the greater of either peak or baseline discharge and, in addition, a monthly service charge for operation and maintenance costs, which charges shall be in accordance with the following schedule:

1. ANNUAL FIXED CHARGE - pursuant to the S-K-F CSD Guidelines for Administrative Implementation of Ordinance No. 42, is the combination of the charges for the three following parameters:

Volume = Flow Charge (\$/MGD)

Biochemical Oxygen Demand = B.O.D. Charge (\$/#BOD/DAY)

Suspended Solids = S.S. Charge (\$/#SS/DAY)

<b>Industrial R&amp;R Charge</b>	FY 2019-20	FY 2020-21	FY 2021-22	FY 2022-23	FY 2023-24
Flow Charge (\$/MGD)	\$167,380.20	\$173,238.51	\$179,301.86	\$185,577.43	\$192,072.65
B.O.D. Charge (\$/#BOD/DAY)	\$6.36	\$6.59	\$6.83	\$7.07	\$7.32
S.S. Charge (\$/#SS/DAY)	\$20.89	\$21.63	\$22.39	\$23.18	\$24.00

2. OPERATION AND MAINTENANCE CHARGE - charge for each of the three parameters is as follows:

Volume = Flow Charge (\$/MG)

Biochemical Oxygen Demand = B.O.D. Charge (\$/#BOD)

Suspended Solids = S.S. Charge (\$/#SS)

<b>Industrial O&amp;M Charge</b>	FY 2019-20	FY 2020-21	FY 2021-22	FY 2022-23	FY 2023-24
Flow Charge (\$/MG)	\$2,254.06	\$2,332.96	\$2,414.62	\$2,499.14	\$2,586.61
B.O.D. Charge (\$/#BOD)	\$0.21	\$0.22	\$0.23	\$0.24	\$0.25
S.S. Charge (\$/#SS)	\$0.40	\$0.42	\$0.44	\$0.46	\$0.48

3. CITIES' COLLECTION SYSTEM RESERVE CHARGE - charge for those industrial users which discharge into one of the following city-owned sewerage collection systems is as follows:

Selma R&R

Volume = Flow (\$/MG)

<b>Selma R&amp;R</b>	FY 2019-20	FY 2020-21	FY 2021-22	FY 2022-23	FY 2023-24
Flow (\$/MG)	\$785.71	\$809.52	\$833.33	\$857.14	\$880.95

Kingsburg R&R

Volume = Flow (\$/MG)

<b>Kingsburg R&amp;R</b>	FY 2019-20	FY 2020-21	FY 2021-22	FY 2022-23	FY 2023-24
Flow (\$/MG)	\$428.57	\$428.57	\$452.38	\$452.38	\$476.19

Fowler R&R

Volume = Flow (\$/MG)

<b>Fowler R&amp;R</b>	FY 2019-20	FY 2020-21	FY 2021-22	FY 2022-23	FY 2023-24
Flow (\$/MG)	\$619.05	\$619.05	\$642.86	\$642.86	\$666.67

An industry which discharges directly into a District interceptor sewer is not subject to the collection system reserve charge.

**SECTION 5.** Section 15 of Ordinance No. 3, as amended, is hereby amended as follows:

**SECTION 15. EFFECTIVE DATE OF CHARGES.**

The sewer service charges referenced in this Ordinance shall become effective on September 1, 2019 for Fiscal Year 2019-20; become effective on July 1, 2020 for Fiscal Year 2020-21; become effective on July 1, 2021 for Fiscal Year 2021-22; become effective on July 1, 2022 for Fiscal Year 2022-23; become effective on July 1, 2023 for Fiscal Year 2023-24 and shall apply to all premises then connected directly or indirectly to the sanitary sewerage systems or to any facilities owned and/or operated by the District. With respect to premises thereafter connected directly or indirectly to the sanitary sewerage systems or to any facilities owned and/or operated by the District, said charges shall be effective immediately upon completion of the final inspection which certifies that the premises are able to be occupied.

**SECTION 6.** EFFECTIVE DATE OF ORDINANCE AND PUBLICATION. This ordinance shall take effect thirty days after passage. A summary of this ordinance, as attached hereto, shall be published one (1) time in the Kingsburg Recorder, Selma Enterprise and The Fresno Bee, newspapers of general circulation printed and published in the District. The ordinance and the votes of the several members of the Board of Directors shall be entered into the minutes of the District.

The foregoing Ordinance No. 2019-01 was introduced on June 13, 2019 by a majority vote. On July 11, 2019, Director Magsig, moved its adoption, and Director Cárdenas seconded the motion. The ordinance was adopted on roll call on July 11, 2019, by the following vote:

AYES: Directors Magsig, Avalos, Cárdenas, Vice Chair Mendes  
Chairwoman Roman

NOES: \_\_\_\_\_


ABSTAIN: \_\_\_\_\_

ABSENT: \_\_\_\_\_

WHEREUPON, the Chairwoman declared the foregoing Ordinance No. 2019-01 adopted, and SO ORDERED.



Michelle Roman  
Chairwoman of the Board of Directors



Ben Muñoz, Jr.,  
Secretary of the Board of Directors

**SKF CSD ORDINANCE NO. 2019-01**  
**EXHIBIT "A"**  
**FY 2019-20**  
**RATES AS OF SEPTEMBER 1, 2019**

<u>CLASS</u> <u>NO.</u>	<u>USER DESCRIPTION (EQUIVALENCY)</u>	<u>Selma</u> <u>\$/YEAR</u>	<u>Kingsburg</u> <u>\$/YEAR</u>	<u>Fowler</u> <u>\$/YEAR</u>	<u>PER UNIT</u>
01)	Single Family Residence (Base Charge Unit) Multiple Family Residence (MFR-3) 3-BR (1.00 ESFR/SFR or MFR-3)	466.40	436.40	452.40	SFR or MFR-3
02)	Multiple Family Residence (MFR-2) 2-BR, Condominium & Mobile Home (0.75 ESFR/MFR-2, M.H. or Condo)	349.80	327.30	339.30	Unit
03)	Multiple Family Residence (MFR-1) 1-BR (0.60 ESFR/Apartment)	279.84	261.84	271.44	MFR-1
04)	Hotel/Motel Without Dining Facilities (0.50 ESFR/Room) or wastewater volume upon request of owner	233.20	218.20	226.20	Room
05)	Rooming House/Bed & Breakfast Dorm Facility (0.50 ESFR/Living Unit)	233.20	218.20	226.20	Room
06)	Nursing Home (0.40 ESFR/Bed)	186.56	174.56	180.96	Bed
07)	Multiple User Classes Suites Building (Two or more separate businesses in a common building on a parcel with only sanitary wastewater discharged) (0.40 ESFR per Business Suite) (1.00 ESFR Minimum/Building)	466.40 186.56	436.40 174.56	452.40 180.96	ESFR Suite
08)	Grocery Stores (1.02 ESFR/84,000 Gal. Wastewater Volume) Meat Market (1.50 ESFR/84,000 Gal. W.W. Volume)	475.73 699.60	445.13 654.60	461.45 678.60	ESFR ESFR
09)	Department Store, Single Business Building (1.00 ESFR Minimum or W.W. Volume analysis with multiple activities within the store)	466.40	436.40	452.40	ESFR

10)	Theaters - Auditoriums (1.00 ESFR Minimum (1.00 ESFR/84,000 Gal. W.W. Volume)	466.40	436.40	452.40	ESFR
	Community Centers, Amusement Centers Recreation Halls, Club Houses Fraternal Meeting Halls (1.00 ESFR Minimum, or 1.0 ESFR/84,000 Gal. W.W. Volume)	466.40	436.40	452.40	ESFR
11)	Business - Finance Institution - Professional Building Sanitary W.W. Only (1.00 ESFR Minimum/0.40 ESFR per Independent Suite)	466.40	436.40	452.40	ESFR
12)	Dental/Medical Offices (1.00 ESFR Minimum - 0.25 ESFR/Operatory or Exam Room - 1.00 ESFR/84,000 Gal. W.W. Volume)	466.40	436.40	452.40	ESFR
13)	Bar/Tavern Without Dining (1.00 ESFR Minimum - 1.00 ESFR/84,000 Gal. W.W. Volume)	466.40	436.40	452.40	ESFR
14)	Restaurant facilities (1.50 ESFR per 84,000 Gal. W. W. Volume)	699.60	654.60	678.60	ESFR
15)	Fast Food Service Facility (1.15 ESFR per 84,000 Gal. W. W. Volume)	536.36	501.86	520.26	ESFR
16)	Take-Out Food Service (0.85 ESFR per 84,000 Gal. W. W. Volume)	396.44	370.94	384.54	ESFR
17)	Barber/Beauty Shops (0.50 ESFR Minimum 1.0 ESFR/84,000 Gal. W. W. Volume)	466.40	436.40	452.40	ESFR
18)	Cleaners - Clothing (1.00 ESFR Minimum)	466.40	436.40	452.40	ESFR
19)	Laundromat (0.82 ESFR/84,000 Gal. W. W. Volume)	382.45	357.85	370.97	ESFR
20)	Auto Service Station (1.00 ESFR Min.) with R. V. Dump (1.50 ESFR Minimum) (1.00 ESFR/84,000 Gal. W. W. Volume) with Mini-Mart (0.50 ESFR Additional) (1.00 ESFR/84,000 Gal. W. W. Vol.)	466.40	436.40	452.40	ESFR



21)	Machine Shop/Auto Repair Shop (1.00 ESFR Minimum with Steam Cleaning (0.25 ESFR added) with Caustic Cleaning Dip (0.25 ESFR added) Body Repair - Paint Shop (1.00 ESFR Minimum)	466.40	436.40	452.40	ESFR
22)	Car Wash (0.70 ESFR/84,000 Gal. W. W. Volume)	326.48	305.48	316.68	ESFR
23)	Funeral Chapel (2.00 ESFR Minimum)	932.80	872.80	904.80	Facility
24)	Hospital (0.80 ESFR/Average Occupied Bed)	373.12	349.12	361.92	Bed
25)	Church (1.00 ESFR Minimum) Rectory (1.00 ESFR Minimum) Social Hall (1.00 ESFR Minimum) School (See Class 27)	466.40	436.40	452.40	
26)	Public Agency or Institutional Facilities (1.0 ESFR Minimum)	466.40	436.40	452.40	
27)	Schools				
	a) Elementary with food preparation 0.0311	14.51	13.57	14.07	ADA
	b) Elementary without food preparation 0.0232	10.82	10.12	10.50	ADA
	c) Middle (Junior H.S.) 0.0255 ESFR/ADA	11.89	11.13	11.54	ADA
	d) High School with food preparation 0.0410	19.12	17.89	18.55	ADA
	e) High School without food preparation 0.0380	17.72	16.58	17.19	ADA
	f) Admin./Shop/Maint. 1.0000 ESFR / School	466.40	436.40	452.40	School
	g) Summer Classes 0.0250 ESFR/ADA	11.66	10.91	11.31	ADA
	h) Swimming Pool, School/Community 1.0000	466.40	436.40	452.40	School
	ADA is based on the end-of-school-year ADA as				
28)	Veterinary Clinic/Kennel (1.00 ESFR per 84,000 Gallons Wastewater	466.40	436.40	452.40	ESFR
29)	Industrial (Light - Non Process Wastewater) Charge by Average Employee Counts for: 29a) Administrative/Management at 0.0464 ESFR/Employee	21.64	20.25	20.99	Employee
	29b) Plant Production/Maintenance Employee	36.10	33.78	35.02	Employee

	at 0.0774 ESFR/Employee				
	29c) Service/Delivery Truck Drivers	4.66	4.36	4.52	Employee
	at 0.0100 ESFR/Employee				
30)	Industrial, Significant Process Waste	Per	Per	Per	
	Water Discharger with separate sewer	7.1, 7.2	7.1, 7.2	7.1, 7.2	
	discharges of Industrial and Sanitary	& 7.3	& 7.3	& 7.3	
	Wastewaters. Laboratory sampling and				
	analysis to quantify Volume, BOD and				
	SS of Process Discharge. Sanitary				
	wastewaters require employee counts for:				
	30a) Administration - Management Employees	21.64	20.25	20.99	Employee
	at 0.0464 ESFR/Employee				
	30b) Plant Production/Maintenance Employee	36.10	33.78	35.02	Employee
	at 0.0774 ESFR/Employee				
	30c) Service/Delivery Truck Drivers	4.66	4.36	4.52	Employee
	at 0.0100 ESFR/Employee				

31) ALTERNATIVE RATE: All rates cited above are minimum rates and the District may adjust any rate that study and field data that indicate that such adjustment is needed to ensure fairness and equity. The District shall charge a higher rate where a user exceeds the annual volume, strength or solids established for its class by applying the following formula:

$$\begin{array}{l}
 \text{ESTIMATED WASTEWATER VOLUME} \\
 \text{PER ADJUSTED POTABLE WATER} \\
 \text{CONSUMPTION (DIVIDED BY)} \\
 \hline
 84,000 \text{ GALLONS RESIDENTIAL} \\
 \text{ANNUAL ESTIMATED ANNUAL} \\
 \text{WASTEWATER VOLUME}
 \end{array}
 \times
 \begin{array}{l}
 \text{BOD/SS} \\
 \text{CORRECTION} \\
 \text{FACTOR} \\
 \text{(IF APPLICABLE)}
 \end{array}$$

The SFR discharges 84,000 Gallons annually of wastewater volume containing 175 pounds of Biochemical Oxygen Demand (BOD) and 215 pounds of Suspended Solids (SS). All other non-industrial user classes are equivalents (fractions or multiples) of the SFR and are referenced as ESFR charge units. The Correction Factor is 1.00 if the wastewater discharge equals the volume, BOD, SS of the SFR. Adjustment Factors may be applied in acknowledgement of potable water consumption not discharged to the sanitary sewer.

**SKF CSD ORDINANCE NO. 2019-01**  
**EXHIBIT "B" Pro-Rated**  
**Sewer Service Charges Incuding City C/S Fee**  
**Pro-Rated for Internal Use for Tax Roll and Qtrly Billing**  
**FY 2019-20**

<u>CLASS NO.</u>	<u>USER DESCRIPTION (EQUIVALENCY)</u>	<u>Selma \$/YEAR</u>	<u>Kingsburg \$/YEAR</u>	<u>Fowler \$/YEAR</u>	<u>PER UNIT</u>
01)	Single Family Residence (Base Charge Unit) Multiple Family Residence (MFR-3) 3-BR (1.00 ESFR/SFR or MFR-3)	463.98	434.14	450.14	SFR or MFR-3
02)	Multiple Family Residence (MFR-2) 2-BR, Condominium & Mobile Home (0.75 ESFR/MFR-2, M.H. or Condo)	347.98	325.61	337.61	Unit
03)	Multiple Family Residence (MFR-1) 1-BR (0.60 ESFR/Apartment)	278.39	260.49	270.09	MFR-1
04)	Hotel/Motel Without Dining Facilities (0.50 ESFR/Room) or wastewater volume upon request of owner	231.99	217.07	225.07	Room
05)	Rooming House/Bed & Breakfast Dorm Facility (0.50 ESFR/Living Unit)	231.99	217.07	225.07	Room
06)	Nursing Home (0.40 ESFR/Bed)	185.59	173.66	180.06	Bed
07)	Multiple User Classes Suites Building (Two or more separate businesses in a common building on a parcel with only sanitary wastewater discharged) (0.40 ESFR per Business Suite) (1.00 ESFR Minimum/Building)	463.98 185.59	434.14 173.66	450.14 180.06	ESFR Suite
08)	Grocery Stores (1.02 ESFR/84,000 Gal. Wastewater Volume) Meat Market (1.50 ESFR/84,000 Gal. W.W. Volume)	473.25 695.96	442.82 651.21	459.14 675.21	ESFR ESFR
09)	Department Store, Single Business Building (1.00 ESFR Minimum or W.W. Volume analysis)	463.98	434.14	450.14	ESFR

with multiple activities within the store)

10)	Theaters - Auditoriums (1.00 ESFR Minimum (1.00 ESFR/84,000 Gal. W.W. Volume)	463.98	434.14	450.14	ESFR
	Community Centers, Amusement Centers Recreation Halls, Club Houses Fraternal Meeting Halls (1.00 ESFR Minimum, or 1.0 ESFR/84,000 Gal. W.W. Volume)	463.98	434.14	450.14	ESFR
11)	Business - Finance Institution - Professional Building Sanitary W.W. Only (1.00 ESFR Minimum/0.40 ESFR per Independent Suite)	463.98	434.14	450.14	ESFR
12)	Dental/Medical Offices (1.00 ESFR Minimum - 0.25 ESFR/Operatory or Exam Room - 1.00 ESFR/84,000 Gal. W.W. Volume)	463.98	434.14	450.14	ESFR
13)	Bar/Tavern Without Dining (1.00 ESFR Minimum - 1.00 ESFR/84,000 Gal. W.W. Volume)	463.98	434.14	450.14	ESFR
14)	Restaurant facilities (1.50 ESFR per 84,000 Gal. W. W. Volume)	695.96	651.21	675.21	ESFR
15)	Fast Food Service Facility (1.15 ESFR per 84,000 Gal. W. W. Volume)	533.57	499.26	517.66	ESFR
16)	Take-Out Food Service (0.85 ESFR per 84,000 Gal. W. W. Volume)	394.38	369.02	382.62	ESFR
17)	Barber/Beauty Shops (0.50 ESFR Minimum 1.0 ESFR/84,000 Gal. W. W. Volume)	463.98	434.14	450.14	ESFR
18)	Cleaners - Clothing (1.00 ESFR Minimum)	463.98	434.14	450.14	ESFR
19)	Laundromat (0.82 ESFR/84,000 Gal. W. W. Volume)	380.46	356.00	369.12	ESFR
20)	Auto Service Station (1.00 ESFR Min.) with R. V. Dump (1.50 ESFR Minimum) (1.00 ESFR/84,000 Gal. W. W. Volume) with Mini-Mart (0.50 ESFR Additional)	463.98	434.14	450.14	ESFR

(1.00 ESFR/84,000 Gal. W. W. Vol.)

21)	Machine Shop/Auto Repair Shop (1.00 ESFR Minimum with Steam Cleaning (0.25 ESFR added) with Caustic Cleaning Dip (0.25 ESFR added) Body Repair - Paint Shop (1.00 ESFR Minimum)	463.98	434.14	450.14	ESFR
22)	Car Wash (0.70 ESFR/84,000 Gal. W. W. Volume)	324.78	303.90	315.10	ESFR
23)	Funeral Chapel (2.00 ESFR Minimum)	927.95	868.28	900.28	Facility
24)	Hospital (0.80 ESFR/Average Occupied Bed)	371.18	347.31	360.11	Bed
25)	Church (1.00 ESFR Minimum) Rectory (1.00 ESFR Minimum) Social Hall (1.00 ESFR Minimum) School (See Class 27)	463.98	434.14	450.14	
26)	Public Agency or Institutional Facilities (1.0 ESFR Minimum)	463.98	434.14	450.14	
27)	Schools				
	a) Elementary with food preparation 0.0311	14.43	13.50	14.00	ADA
	b) Elementary without food preparation 0.0232	10.76	10.07	10.44	ADA
	c) Middle (Junior H.S.) 0.0255 ESFR/ADA	11.83	11.07	11.48	ADA
	d) High School with food preparation 0.0410	19.02	17.80	18.46	ADA
	e) High School without food preparation 0.0380	17.63	16.50	17.11	ADA
	f) Admin./Shop/Maint. 1.0000 ESFR / School	463.98	434.14	450.14	School
	g) Summer Classes 0.0250 ESFR/ADA	11.60	10.85	11.25	ADA
	h) Swimming Pool, School/Community 1.0000	463.98	434.14	450.14	School
	ADA is based on the end-of-school-year ADA as				
28)	Veterinary Clinic/Kennel (1.00 ESFR per 84,000 Gallons Wastewater)	463.98	434.14	450.14	ESFR
29)	Industrial (Light - Non Process Wastewater) Charge by Average Employee Counts for: 29a) Administrative/Management at 0.0464 ESFR/Employee	21.53	20.14	20.89	Employee
	29b) Plant Production/Maintenance Employee	35.91	33.60	34.84	Employee

	at 0.0774 ESFR/Employee				
	29c) Service/Delivery Truck Drivers	4.64	4.34	4.50	Employee
	at 0.0100 ESFR/Employee				
30)	Industrial, Significant Process Waste	Per	Per	Per	
	Water Discharger with separate sewer	7.1, 7.2	7.1, 7.2	7.1, 7.2	
	discharges of Industrial and Sanitary	& 7.3	& 7.3	& 7.3	
	Wastewaters. Laboratory sampling and				
	analysis to quantify Volume, BOD and				
	SS of Process Discharge. Sanitary				
	wastewaters require employee counts for:				
	30a) Administration - Management Employees	21.53	20.14	20.89	Employee
	at 0.0464 ESFR/Employee				
	30b) Plant Production/Maintenance Employee	35.91	33.60	34.84	Employee
	at 0.0774 ESFR/Employee				
	30c) Service/Delivery Truck Drivers	4.64	4.34	4.50	Employee
	at 0.0100 ESFR/Employee				

31) ALTERNATIVE RATE: All rates cited above are minimum rates and the District may adjust any rate that study and field data that indicate that such adjustment is needed to ensure fairness and equity. The District shall charge a higher rate where a user exceeds the annual volume, strength or solids established for its class by applying the following formula:

$$\frac{\text{ESTIMATED WASTEWATER VOLUME}}{\text{PER ADJUSTED POTABLE WATER CONSUMPTION (DIVIDED BY)}} \times \frac{\text{BOD/SS CORRECTION FACTOR (IF APPLICABLE)}}{\text{84,000 GALLONS RESIDENTIAL ANNUAL ESTIMATED ANNUAL WASTEWATER VOLUME}}$$

The SFR discharges 84,000 Gallons annually of wastewater volume containing 175 pounds of Biochemical Oxygen Demand (BOD) and 215 pounds of Suspended Solids (SS). All other non-industrial user classes are equivalents (fractions or multiples) of the SFR and are referenced as ESFR charge units. The Correction Factor is 1.00 if the wastewater discharge equals the volume, BOD, SS of the SFR. Adjustment Factors may be applied in acknowledgement of potable water consumption not discharged to the sanitary sewer.

**SKF CSD ORDINANCE NO. 2019-01**

**EXHIBIT "C"**

**FY 2020-21**

<u>CLASS</u>		Selma	Kingsburg	Fowler	
<u>NO.</u>	<u>USER DESCRIPTION (EQUIVALENCY)</u>	<u>\$/YEAR</u>	<u>\$/YEAR</u>	<u>\$/YEAR</u>	<u>PER UNIT</u>
01)	Single Family Residence (Base Charge Unit) Multiple Family Residence (MFR-3) 3-BR (1.00 ESFR/SFR or MFR-3)	482.42	450.42	466.42	SFR or MFR-3
02)	Multiple Family Residence (MFR-2) 2-BR, Condominium & Mobile Home (0.75 ESFR/MFR-2, M.H. or Condo)	361.82	337.82	349.82	Unit
03)	Multiple Family Residence (MFR-1) 1-BR (0.60 ESFR/Apartment)	289.45	270.25	279.85	MFR-1
04)	Hotel/Motel Without Dining Facilities (0.50 ESFR/Room) or wastewater volume upon request of owner	241.21	225.21	233.21	Room
05)	Rooming House/Bed & Breakfast Dorm Facility (0.50 ESFR/Living Unit)	241.21	225.21	233.21	Room
06)	Nursing Home (0.40 ESFR/Bed)	192.97	180.17	186.57	Bed
07)	Multiple User Classes Suites Building (Two or more separate businesses in a common building on a parcel with only sanitary wastewater discharged) (0.40 ESFR per Business Suite) (1.00 ESFR Minimum/Building)	482.42 192.97	450.42 180.17	466.42 186.57	ESFR Suite
08)	Grocery Stores (1.02 ESFR/84,000 Gal. Wastewater Volume) Meat Market (1.50 ESFR/84,000 Gal. W.W. Volume)	492.07 723.63	459.43 675.63	475.75 699.63	ESFR ESFR
09)	Department Store, Single Business Building (1.00 ESFR Minimum or W.W. Volume analysis with multiple activities within the store)	482.42	450.42	466.42	ESFR

10)	Theaters - Auditoriums (1.00 ESFR Minimum (1.00 ESFR/84,000 Gal. W.W. Volume)	482.42	450.42	466.42	ESFR
	Community Centers, Amusement Centers Recreation Halls, Club Houses Fraternal Meeting Halls (1.00 ESFR Minimum, or 1.0 ESFR/84,000 Gal. W.W. Volume)	482.42	450.42	466.42	ESFR
11)	Business - Finance Institution - Professional Building Sanitary W.W. Only (1.00 ESFR Minimum/0.40 ESFR per Independent Suite)	482.42	450.42	466.42	ESFR
12)	Dental/Medical Offices (1.00 ESFR Minimum - 0.25 ESFR/Operatory or Exam Room - 1.00 ESFR/84,000 Gal. W.W. Volume)	482.42	450.42	466.42	ESFR
13)	Bar/Tavern Without Dining (1.00 ESFR Minimum - 1.00 ESFR/84,000 Gal. W.W. Volume)	482.42	450.42	466.42	ESFR
14)	Restaurant facilities (1.50 ESFR per 84,000 Gal. W. W. Volume)	723.63	675.63	699.63	ESFR
15)	Fast Food Service Facility (1.15 ESFR per 84,000 Gal. W. W. Volume)	554.78	517.98	536.38	ESFR
16)	Take-Out Food Service (0.85 ESFR per 84,000 Gal. W. W. Volume)	410.06	382.86	396.46	ESFR
17)	Barber/Beauty Shops (0.50 ESFR Minimum 1.0 ESFR/84,000 Gal. W. W. Volume)	482.42	450.42	466.42	ESFR
18)	Cleaners - Clothing (1.00 ESFR Minimum)	482.42	450.42	466.42	ESFR
19)	Laundromat (0.82 ESFR/84,000 Gal. W. W. Volume)	395.58	369.34	382.46	ESFR
20)	Auto Service Station (1.00 ESFR Min.) with R. V. Dump (1.50 ESFR Minimum) (1.00 ESFR/84,000 Gal. W. W. Volume) with Mini-Mart (0.50 ESFR Additional) (1.00 ESFR/84,000 Gal. W. W. Vol.)	482.42	450.42	466.42	ESFR



21)	Machine Shop/Auto Repair Shop (1.00 ESFR Minimum with Steam Cleaning (0.25 ESFR added) with Caustic Cleaning Dip (0.25 ESFR added) Body Repair - Paint Shop (1.00 ESFR Minimum)	482.42	450.42	466.42	ESFR
22)	Car Wash (0.70 ESFR/84,000 Gal. W. W. Volume)	337.69	315.29	326.49	ESFR
23)	Funeral Chapel (2.00 ESFR Minimum)	964.84	900.84	932.84	Facility
24)	Hospital (0.80 ESFR/Average Occupied Bed)	385.94	360.34	373.14	Bed
25)	Church (1.00 ESFR Minimum) Rectory (1.00 ESFR Minimum) Social Hall (1.00 ESFR Minimum) School (See Class 27)	482.42	450.42	466.42	
26)	Public Agency or Institutional Facilities (1.0 ESFR Minimum)	482.42	450.42	466.42	
27)	Schools				
	a) Elementary with food preparation 0.0311	15.00	14.01	14.51	ADA
	b) Elementary without food preparation 0.0232	11.19	10.45	10.82	ADA
	c) Middle (Junior H.S.) 0.0255 ESFR/ADA	12.30	11.49	11.89	ADA
	d) High School with food preparation 0.0410	19.78	18.47	19.12	ADA
	e) High School without food preparation 0.0380	18.33	17.12	17.72	ADA
	f) Admin./Shop/Maint. 1.0000 ESFR / School	482.42	450.42	466.42	School
	g) Summer Classes 0.0250 ESFR/ADA	12.06	11.26	11.66	ADA
	h) Swimming Pool, School/Community 1.0000	482.42	450.42	466.42	School
	ADA is based on the end-of-school-year ADA as				
28)	Veterinary Clinic/Kennel (1.00 ESFR per 84,000 Gallons Wastewater	482.42	450.42	466.42	ESFR
29)	Industrial (Light - Non Process Wastewater) Charge by Average Employee Counts for: 29a) Administrative/Management at 0.0464 ESFR/Employee	22.38	20.90	21.64	Employee
	29b) Plant Production/Maintenance Employee	37.34	34.86	36.10	Employee

	at 0.0774 ESFR/Employee				
	29c) Service/Delivery Truck Drivers	4.82	4.50	4.66	Employee
	at 0.0100 ESFR/Employee				
30)	Industrial, Significant Process Waste	Per	Per	Per	
	Water Discharger with separate sewer	7.1, 7.2	7.1, 7.2	7.1, 7.2	
	discharges of Industrial and Sanitary	& 7.3	& 7.3	& 7.3	
	Wastewaters. Laboratory sampling and				
	analysis to quantify Volume, BOD and				
	SS of Process Discharge. Sanitary				
	wastewaters require employee counts for:				
	30a) Administration - Management Employees	22.38	20.90	21.64	Employee
	at 0.0464 ESFR/Employee				
	30b) Plant Production/Maintenance Employee	37.34	34.86	36.10	Employee
	at 0.0774 ESFR/Employee				
	30c) Service/Delivery Truck Drivers	4.82	4.50	4.66	Employee
	at 0.0100 ESFR/Employee				

31) ALTERNATIVE RATE: All rates cited above are minimum rates and the District may adjust any rate that study and field data that indicate that such adjustment is needed to ensure fairness and equity. The District shall charge a higher rate where a user exceeds the annual volume, strength or solids established for its class by applying the following formula:

$$\frac{\text{ESTIMATED WASTEWATER VOLUME PER ADJUSTED POTABLE WATER CONSUMPTION (DIVIDED BY) 84,000 GALLONS RESIDENTIAL ANNUAL ESTIMATED ANNUAL WASTEWATER VOLUME}}{\text{BOD/SS X CORRECTION FACTOR (IF APPLICABLE)}}$$

The SFR discharges 84,000 Gallons annually of wastewater volume containing 175 pounds of Biochemical Oxygen Demand (BOD) and 215 pounds of Suspended Solids (SS). All other non-industrial user classes are equivalents (fractions or multiples) of the SFR and are referenced as ESFR charge units. The Correction Factor is 1.00 if the wastewater discharge equals the volume, BOD, SS of the SFR. Adjustment Factors may be applied in acknowledgement of potable water consumption not discharged to the sanitary sewer.

**SKF CSD ORDINANCE NO. 2019-01**

**EXHIBIT "D"**

**FY 2021-22**

<u>CLASS</u> <u>NO.</u>	<u>USER DESCRIPTION (EQUIVALENCY)</u>	<u>Selma</u> <u>\$/YEAR</u>	<u>Kingsburg</u> <u>\$/YEAR</u>	<u>Fowler</u> <u>\$/YEAR</u>	<u>PER UNIT</u>
01)	Single Family Residence (Base Charge Unit) Multiple Family Residence (MFR-3) 3-BR (1.00 ESFR/SFR or MFR-3)	498.93	466.93	482.93	SFR or MFR-3
02)	Multiple Family Residence (MFR-2) 2-BR, Condominium & Mobile Home (0.75 ESFR/MFR-2, M.H. or Condo)	374.20	350.20	362.20	Unit
03)	Multiple Family Residence (MFR-1) 1-BR (0.60 ESFR/Apartment)	299.36	280.16	289.76	MFR-1
04)	Hotel/Motel Without Dining Facilities (0.50 ESFR/Room) or wastewater volume upon request of owner	249.47	233.47	241.47	Room
05)	Rooming House/Bed & Breakfast Dorm Facility (0.50 ESFR/Living Unit)	249.47	233.47	241.47	Room
06)	Nursing Home (0.40 ESFR/Bed)	199.57	186.77	193.17	Bed
07)	Multiple User Classes Suites Building (Two or more separate businesses in a common building on a parcel with only sanitary wastewater discharged) (0.40 ESFR per Business Suite) (1.00 ESFR Minimum/Building)	498.93 199.57	466.93 186.77	482.93 193.17	ESFR Suite
08)	Grocery Stores (1.02 ESFR/84,000 Gal. Wastewater Volume) Meat Market (1.50 ESFR/84,000 Gal. W.W. Volume)	508.91 748.40	476.27 700.40	492.59 724.40	ESFR ESFR
09)	Department Store, Single Business Building (1.00 ESFR Minimum or W.W. Volume analysis with multiple activities within the store)	498.93	466.93	482.93	ESFR

10)	Theaters - Auditoriums (1.00 ESFR Minimum (1.00 ESFR/84,000 Gal. W.W. Volume)	498.93	466.93	482.93	ESFR
	Community Centers, Amusement Centers Recreation Halls, Club Houses Fraternal Meeting Halls (1.00 ESFR Minimum, or 1.0 ESFR/84,000 Gal. W.W. Volume)	498.93	466.93	482.93	ESFR
11)	Business - Finance Institution - Professional Building Sanitary W.W. Only (1.00 ESFR Minimum/0.40 ESFR per Independent Suite)	498.93	466.93	482.93	ESFR
12)	Dental/Medical Offices (1.00 ESFR Minimum - 0.25 ESFR/Operatory or Exam Room - 1.00 ESFR/84,000 Gal. W.W. Volume)	498.93	466.93	482.93	ESFR
13)	Bar/Tavern Without Dining (1.00 ESFR Minimum - 1.00 ESFR/84,000 Gal. W.W. Volume)	498.93	466.93	482.93	ESFR
14)	Restaurant facilities (1.50 ESFR per 84,000 Gal. W. W. Volume)	748.40	700.40	724.40	ESFR
15)	Fast Food Service Facility (1.15 ESFR per 84,000 Gal. W. W. Volume)	573.77	536.97	555.37	ESFR
16)	Take-Out Food Service (0.85 ESFR per 84,000 Gal. W. W. Volume)	424.09	396.89	410.49	ESFR
17)	Barber/Beauty Shops (0.50 ESFR Minimum 1.0 ESFR/84,000 Gal. W. W. Volume)	498.93	466.93	482.93	ESFR
18)	Cleaners - Clothing (1.00 ESFR Minimum)	498.93	466.93	482.93	ESFR
19)	Laundromat (0.82 ESFR/84,000 Gal. W. W. Volume)	409.12	382.88	396.00	ESFR
20)	Auto Service Station (1.00 ESFR Min.) with R. V. Dump (1.50 ESFR Minimum) (1.00 ESFR/84,000 Gal. W. W. Volume) with Mini-Mart (0.50 ESFR Additional) (1.00 ESFR/84,000 Gal. W. W. Vol.)	498.93	466.93	482.93	ESFR

21)	Machine Shop/Auto Repair Shop (1.00 ESFR Minimum with Steam Cleaning (0.25 ESFR added) with Caustic Cleaning Dip (0.25 ESFR added) Body Repair - Paint Shop (1.00 ESFR Minimum)	498.93	466.93	482.93	ESFR
22)	Car Wash (0.70 ESFR/84,000 Gal. W. W. Volume)	349.25	326.85	338.05	ESFR
23)	Funeral Chapel (2.00 ESFR Minimum)	997.86	933.86	965.86	Facility
24)	Hospital (0.80 ESFR/Average Occupied Bed)	399.14	373.54	386.34	Bed
25)	Church (1.00 ESFR Minimum) Rectory (1.00 ESFR Minimum) Social Hall (1.00 ESFR Minimum) School (See Class 27)	498.93	466.93	482.93	
26)	Public Agency or Institutional Facilities (1.0 ESFR Minimum)	498.93	466.93	482.93	
27)	Schools				
	a) Elementary with food preparation 0.0311	15.52	14.52	15.02	ADA
	b) Elementary without food preparation 0.0232	11.58	10.83	11.20	ADA
	c) Middle (Junior H.S.) 0.0255 ESFR/ADA	12.72	11.91	12.31	ADA
	d) High School with food preparation 0.0410	20.46	19.14	19.80	ADA
	e) High School without food preparation 0.0380	18.96	17.74	18.35	ADA
	f) Admin./Shop/Maint. 1.0000 ESFR / School	498.93	466.93	482.93	School
	g) Summer Classes 0.0250 ESFR/ADA	12.47	11.67	12.07	ADA
	h) Swimming Pool, School/Community 1.0000	498.93	466.93	482.93	School
	ADA is based on the end-of-school-year ADA as				
28)	Veterinary Clinic/Kennel (1.00 ESFR per 84,000 Gallons Wastewater	498.93	466.93	482.93	ESFR
29)	Industrial (Light - Non Process Wastewater) Charge by Average Employee Counts for: 29a) Administrative/Management at 0.0464 ESFR/Employee	23.15	21.67	22.41	Employee
	29b) Plant Production/Maintenance Employee	38.62	36.14	37.38	Employee

	at 0.0774 ESFR/Employee				
	29c) Service/Delivery Truck Drivers	4.99	4.67	4.83	Employee
	at 0.0100 ESFR/Employee				
30)	Industrial, Significant Process Waste	Per	Per	Per	
	Water Discharger with separate sewer	7.1, 7.2	7.1, 7.2	7.1, 7.2	
	discharges of Industrial and Sanitary	& 7.3	& 7.3	& 7.3	
	Wastewaters. Laboratory sampling and				
	analysis to quantify Volume, BOD and				
	SS of Process Discharge. Sanitary				
	wastewaters require employee counts for:				
	30a) Administration - Management Employees	23.15	21.67	22.41	Employee
	at 0.0464 ESFR/Employee				
	30b) Plant Production/Maintenance Employee	38.62	36.14	37.38	Employee
	at 0.0774 ESFR/Employee				
	30c) Service/Delivery Truck Drivers	4.99	4.67	4.83	Employee
	at 0.0100 ESFR/Employee				

31) ALTERNATIVE RATE: All rates cited above are minimum rates and the District may adjust any rate that study and field data that indicate that such adjustment is needed to ensure fairness and equity. The District shall charge a higher rate where a user exceeds the annual volume, strength or solids established for its class by applying the following formula:

$$\frac{\text{ESTIMATED WASTEWATER VOLUME}}{\text{PER ADJUSTED POTABLE WATER CONSUMPTION (DIVIDED BY)}} \times \text{CORRECTION FACTOR (IF APPLICABLE)}$$

The SFR discharges 84,000 Gallons annually of wastewater volume containing 175 pounds of Biochemical Oxygen Demand (BOD) and 215 pounds of Suspended Solids (SS). All other non-industrial user classes are equivalents (fractions or multiples) of the SFR and are referenced as ESFR charge units. The Correction Factor is 1.00 if the wastewater discharge equals the volume, BOD, SS of the SFR. Adjustment Factors may be applied in acknowledgement of potable water consumption not discharged to the sanitary sewer.

**SKF CSD ORDINANCE NO. 2019-01**

**EXHIBIT "E"**

**FY 2022-23**

<u>CLASS</u> <u>NO.</u>	<u>USER DESCRIPTION (EQUIVALENCY)</u>	<u>Selma</u> <u>\$/YEAR</u>	<u>Kingsburg</u> <u>\$/YEAR</u>	<u>Fowler</u> <u>\$/YEAR</u>	<u>PER UNIT</u>
01)	Single Family Residence (Base Charge Unit) Multiple Family Residence (MFR-3) 3-BR (1.00 ESFR/SFR or MFR-3)	515.95	481.95	497.95	SFR or MFR-3
02)	Multiple Family Residence (MFR-2) 2-BR, Condominium & Mobile Home (0.75 ESFR/MFR-2, M.H. or Condo)	386.96	361.46	373.46	Unit
03)	Multiple Family Residence (MFR-1) 1-BR (0.60 ESFR/Apartment)	309.57	289.17	298.77	MFR-1
04)	Hotel/Motel Without Dining Facilities (0.50 ESFR/Room) or wastewater volume upon request of owner	257.98	240.98	248.98	Room
05)	Rooming House/Bed & Breakfast Dorm Facility (0.50 ESFR/Living Unit)	257.98	240.98	248.98	Room
06)	Nursing Home (0.40 ESFR/Bed)	206.38	192.78	199.18	Bed
07)	Multiple User Classes Suites Building (Two or more separate businesses in a common building on a parcel with only sanitary wastewater discharged) (0.40 ESFR per Business Suite) (1.00 ESFR Minimum/Building)	515.95 206.38	481.95 192.78	497.95 199.18	ESFR Suite
08)	Grocery Stores (1.02 ESFR/84,000 Gal. Wastewater Volume) Meat Market (1.50 ESFR/84,000 Gal. W.W. Volume)	526.27 773.93	491.59 722.93	507.91 746.93	ESFR ESFR
09)	Department Store, Single Business Building (1.00 ESFR Minimum or W.W. Volume analysis with multiple activities within the store)	515.95	481.95	497.95	ESFR

10)	Theaters - Auditoriums (1.00 ESFR Minimum (1.00 ESFR/84,000 Gal. W.W. Volume)	515.95	481.95	497.95	ESFR
	Community Centers, Amusement Centers Recreation Halls, Club Houses Fraternal Meeting Halls (1.00 ESFR Minimum, or 1.0 ESFR/84,000 Gal. W.W. Volume)	515.95	481.95	497.95	ESFR
11)	Business - Finance Institution - Professional Building Sanitary W.W. Only (1.00 ESFR Minimum/0.40 ESFR per Independent Suite)	515.95	481.95	497.95	ESFR
12)	Dental/Medical Offices (1.00 ESFR Minimum - 0.25 ESFR/Operatory or Exam Room - 1.00 ESFR/84,000 Gal. W.W. Volume)	515.95	481.95	497.95	ESFR
13)	Bar/Tavern Without Dining (1.00 ESFR Minimum - 1.00 ESFR/84,000 Gal. W.W. Volume)	515.95	481.95	497.95	ESFR
14)	Restaurant facilities (1.50 ESFR per 84,000 Gal. W. W. Volume)	773.93	722.93	746.93	ESFR
15)	Fast Food Service Facility (1.15 ESFR per 84,000 Gal. W. W. Volume)	593.34	554.24	572.64	ESFR
16)	Take-Out Food Service (0.85 ESFR per 84,000 Gal. W. W. Volume)	438.56	409.66	423.26	ESFR
17)	Barber/Beauty Shops (0.50 ESFR Minimum 1.0 ESFR/84,000 Gal. W. W. Volume)	515.95	481.95	497.95	ESFR
18)	Cleaners - Clothing (1.00 ESFR Minimum)	515.95	481.95	497.95	ESFR
19)	Laundromat (0.82 ESFR/84,000 Gal. W. W. Volume)	423.08	395.20	408.32	ESFR
20)	Auto Service Station (1.00 ESFR Min.) with R. V. Dump (1.50 ESFR Minimum) (1.00 ESFR/84,000 Gal. W. W. Volume) with Mini-Mart (0.50 ESFR Additional) (1.00 ESFR/84,000 Gal. W. W. Vol.)	515.95	481.95	497.95	ESFR



21)	Machine Shop/Auto Repair Shop (1.00 ESFR Minimum with Steam Cleaning (0.25 ESFR added) with Caustic Cleaning Dip (0.25 ESFR added) Body Repair - Paint Shop (1.00 ESFR Minimum)	515.95	481.95	497.95	ESFR
22)	Car Wash (0.70 ESFR/84,000 Gal. W. W. Volume)	361.17	337.37	348.57	ESFR
23)	Funeral Chapel (2.00 ESFR Minimum)	1,031.90	963.90	995.90	Facility
24)	Hospital (0.80 ESFR/Average Occupied Bed)	412.76	385.56	398.36	Bed
25)	Church (1.00 ESFR Minimum) Rectory (1.00 ESFR Minimum) Social Hall (1.00 ESFR Minimum) School (See Class 27)	515.95	481.95	497.95	
26)	Public Agency or Institutional Facilities (1.0 ESFR Minimum)	515.95	481.95	497.95	
27)	Schools				
	a) Elementary with food preparation 0.0311	16.05	14.99	15.49	ADA
	b) Elementary without food preparation 0.0232	11.97	11.18	11.55	ADA
	c) Middle (Junior H.S.) 0.0255 ESFR/ADA	13.16	12.29	12.70	ADA
	d) High School with food preparation 0.0410	21.15	19.76	20.42	ADA
	e) High School without food preparation 0.0380	19.61	18.31	18.92	ADA
	f) Admin./Shop/Maint. 1.0000 ESFR / School	515.95	481.95	497.95	School
	g) Summer Classes 0.0250 ESFR/ADA	12.90	12.05	12.45	ADA
	h) Swimming Pool, School/Community 1.0000	515.95	481.95	497.95	School
	ADA is based on the end-of-school-year ADA as				
28)	Veterinary Clinic/Kennel (1.00 ESFR per 84,000 Gallons Wastewater	515.95	481.95	497.95	ESFR
29)	Industrial (Light - Non Process Wastewater) Charge by Average Employee Counts for: 29a) Administrative/Management at 0.0464 ESFR/Employee	23.94	22.36	23.10	Employee
	29b) Plant Production/Maintenance Employee	39.93	37.30	38.54	Employee

at 0.0774 ESFR/Employee  
 29c) Service/Delivery Truck Drivers 5.16 4.82 4.98 Employee  
 at 0.0100 ESFR/Employee

30) Industrial, Significant Process Waste Per Per Per  
 Water Discharger with separate sewer 7.1, 7.2 7.1, 7.2 7.1, 7.2  
 discharges of Industrial and Sanitary & 7.3 & 7.3 & 7.3  
 Wastewaters. Laboratory sampling and  
 analysis to quantify Volume, BOD and  
 SS of Process Discharge. Sanitary  
 wastewaters require employee counts for:  
 30a) Administration - Management Employees 23.94 22.36 23.10 Employee  
 at 0.0464 ESFR/Employee  
 30b) Plant Production/Maintenance Employee 39.93 37.30 38.54 Employee  
 at 0.0774 ESFR/Employee  
 30c) Service/Delivery Truck Drivers 5.16 4.82 4.98 Employee  
 at 0.0100 ESFR/Employee

31) ALTERNATIVE RATE: All rates cited above are minimum rates and the District may adjust any rate that study and field data that indicate that such adjustment is needed to ensure fairness and equity. The District shall charge a higher rate where a user exceeds the annual volume, strength or solids established for its class by applying the following formula:

$$\frac{\text{ESTIMATED WASTEWATER VOLUME PER ADJUSTED POTABLE WATER CONSUMPTION (DIVIDED BY) 84,000 GALLONS RESIDENTIAL ANNUAL ESTIMATED ANNUAL WASTEWATER VOLUME}}{\text{BOD/SS X CORRECTION FACTOR (IF APPLICABLE)}}$$

The SFR discharges 84,000 Gallons annually of wastewater volume containing 175 pounds of Biochemical Oxygen Demand (BOD) and 215 pounds of Suspended Solids (SS). All other non-industrial user classes are equivalents (fractions or multiples) of the SFR and are referenced as ESFR charge units. The Correction Factor is 1.00 if the wastewater discharge equals the volume, BOD, SS of the SFR. Adjustment Factors may be applied in acknowledgement of potable water consumption not discharged to the sanitary sewer.

**SKF CSD ORDINANCE NO. 2019-01**

**EXHIBIT "F"**

**FY 2023-24**

<u>CLASS</u> <u>NO.</u>	<u>USER DESCRIPTION (EQUIVALENCY)</u>	<u>Selma</u> <u>\$/YEAR</u>	<u>Kingsburg</u> <u>\$/YEAR</u>	<u>Fowler</u> <u>\$/YEAR</u>	<u>PER UNIT</u>
01)	Single Family Residence (Base Charge Unit) Multiple Family Residence (MFR-3) 3-BR (1.00 ESFR/SFR or MFR-3)	533.50	499.50	515.50	SFR or MFR-3
02)	Multiple Family Residence (MFR-2) 2-BR, Condominium & Mobile Home (0.75 ESFR/MFR-2, M.H. or Condo)	400.13	374.63	386.63	Unit
03)	Multiple Family Residence (MFR-1) 1-BR (0.60 ESFR/Apartment)	320.10	299.70	309.30	MFR-1
04)	Hotel/Motel Without Dining Facilities (0.50 ESFR/Room) or wastewater volume upon request of owner	266.75	249.75	257.75	Room
05)	Rooming House/Bed & Breakfast Dorm Facility (0.50 ESFR/Living Unit)	266.75	249.75	257.75	Room
06)	Nursing Home (0.40 ESFR/Bed)	213.40	199.80	206.20	Bed
07)	Multiple User Classes Suites Building (Two or more separate businesses in a common building on a parcel with only sanitary wastewater discharged) (0.40 ESFR per Business Suite) (1.00 ESFR Minimum/Building)	533.50 213.40	499.50 199.80	515.50 206.20	ESFR Suite
08)	Grocery Stores (1.02 ESFR/84,000 Gal. Wastewater Volume) Meat Market (1.50 ESFR/84,000 Gal. W.W. Volume)	544.17 800.25	509.49 749.25	525.81 773.25	ESFR ESFR
09)	Department Store, Single Business Building (1.00 ESFR Minimum or W.W. Volume analysis with multiple activities within the store)	533.50	499.50	515.50	ESFR

10)	Theaters - Auditoriums (1.00 ESFR Minimum (1.00 ESFR/84,000 Gal. W.W. Volume)	533.50	499.50	515.50	ESFR
	Community Centers, Amusement Centers Recreation Halls, Club Houses Fraternal Meeting Halls (1.00 ESFR Minimum, or 1.0 ESFR/84,000 Gal. W.W. Volume)	533.50	499.50	515.50	ESFR
11)	Business - Finance Institution - Professional Building Sanitary W.W. Only (1.00 ESFR Minimum/0.40 ESFR per Independent Suite)	533.50	499.50	515.50	ESFR
12)	Dental/Medical Offices (1.00 ESFR Minimum - 0.25 ESFR/Operatory or Exam Room - 1.00 ESFR/84,000 Gal. W.W. Volume)	533.50	499.50	515.50	ESFR
13)	Bar/Tavern Without Dining (1.00 ESFR Minimum - 1.00 ESFR/84,000 Gal. W.W. Volume)	533.50	499.50	515.50	ESFR
14)	Restaurant facilities (1.50 ESFR per 84,000 Gal. W. W. Volume)	800.25	749.25	773.25	ESFR
15)	Fast Food Service Facility (1.15 ESFR per 84,000 Gal. W. W. Volume)	613.53	574.43	592.83	ESFR
16)	Take-Out Food Service (0.85 ESFR per 84,000 Gal. W. W. Volume)	453.48	424.58	438.18	ESFR
17)	Barber/Beauty Shops (0.50 ESFR Minimum 1.0 ESFR/84,000 Gal. W. W. Volume)	533.50	499.50	515.50	ESFR
18)	Cleaners - Clothing (1.00 ESFR Minimum)	533.50	499.50	515.50	ESFR
19)	Laundromat (0.82 ESFR/84,000 Gal. W. W. Volume)	437.47	409.59	422.71	ESFR
20)	Auto Service Station (1.00 ESFR Min.) with R. V. Dump (1.50 ESFR Minimum) (1.00 ESFR/84,000 Gal. W. W. Volume) with Mini-Mart (0.50 ESFR Additional) (1.00 ESFR/84,000 Gal. W. W. Vol.)	533.50	499.50	515.50	ESFR

21)	Machine Shop/Auto Repair Shop (1.00 ESFR Minimum with Steam Cleaning (0.25 ESFR added) with Caustic Cleaning Dip (0.25 ESFR added) Body Repair - Paint Shop (1.00 ESFR Minimum)	533.50	499.50	515.50	ESFR
22)	Car Wash (0.70 ESFR/84,000 Gal. W. W. Volume)	373.45	349.65	360.85	ESFR
23)	Funeral Chapel (2.00 ESFR Minimum)	1,067.00	999.00	1,031.00	Facility
24)	Hospital (0.80 ESFR/Average Occupied Bed)	426.80	399.60	412.40	Bed
25)	Church (1.00 ESFR Minimum) Rectory (1.00 ESFR Minimum) Social Hall (1.00 ESFR Minimum) School (See Class 27)	533.50	499.50	515.50	
26)	Public Agency or Institutional Facilities (1.0 ESFR Minimum)	533.50	499.50	515.50	
27)	Schools				
	a) Elementary with food preparation 0.0311	16.59	15.53	16.03	ADA
	b) Elementary without food preparation 0.0232	12.38	11.59	11.96	ADA
	c) Middle (Junior H.S.) 0.0255 ESFR/ADA	13.60	12.74	13.15	ADA
	d) High School with food preparation 0.0410	21.87	20.48	21.14	ADA
	e) High School without food preparation 0.0380	20.27	18.98	19.59	ADA
	f) Admin./Shop/Maint. 1.0000 ESFR / School	533.50	499.50	515.50	School
	g) Summer Classes 0.0250 ESFR/ADA	13.34	12.49	12.89	ADA
	h) Swimming Pool, School/Community 1.0000	533.50	499.50	515.50	School
	ADA is based on the end-of-school-year ADA as				
28)	Veterinary Clinic/Kennel (1.00 ESFR per 84,000 Gallons Wastewater	533.50	499.50	515.50	ESFR
29)	Industrial (Light - Non Process Wastewater) Charge by Average Employee Counts for: 29a) Administrative/Management at 0.0464 ESFR/Employee	24.75	23.18	23.92	Employee
	29b) Plant Production/Maintenance Employee	41.29	38.66	39.90	Employee

	at 0.0774 ESFR/Employee				
29c)	Service/Delivery Truck Drivers at 0.0100 ESFR/Employee	5.34	5.00	5.16	Employee
30)	Industrial, Significant Process Waste Water Discharger with separate sewer discharges of Industrial and Sanitary Wastewaters. Laboratory sampling and analysis to quantify Volume, BOD and SS of Process Discharge. Sanitary wastewaters require employee counts for:	Per 7.1, 7.2 & 7.3	Per 7.1, 7.2 & 7.3	Per 7.1, 7.2 & 7.3	
	30a) Administration - Management Employees at 0.0464 ESFR/Employee	24.75	23.18	23.92	Employee
	30b) Plant Production/Maintenance Employee at 0.0774 ESFR/Employee	41.29	38.66	39.90	Employee
	30c) Service/Delivery Truck Drivers at 0.0100 ESFR/Employee	5.34	5.00	5.16	Employee

31) ALTERNATIVE RATE: All rates cited above are minimum rates and the District may adjust any rate that study and field data that indicate that such adjustment is needed to ensure fairness and equity. The District shall charge a higher rate where a user exceeds the annual volume, strength or solids established for its class by applying the following formula:

$$\begin{array}{r}
 \text{ESTIMATED WASTEWATER VOLUME} \\
 \text{PER ADJUSTED POTABLE WATER} \\
 \text{CONSUMPTION (DIVIDED BY)} \\
 \hline
 84,000 \text{ GALLONS RESIDENTIAL} \\
 \text{ANNUAL ESTIMATED ANNUAL} \\
 \text{WASTEWATER VOLUME}
 \end{array}
 \times
 \begin{array}{r}
 \text{BOD/SS} \\
 \text{CORRECTION} \\
 \text{FACTOR} \\
 \text{(IF APPLICABLE)}
 \end{array}$$

The SFR discharges 84,000 Gallons annually of wastewater volume containing 175 pounds of Biochemical Oxygen Demand (BOD) and 215 pounds of Suspended Solids (SS). All other non-industrial user classes are equivalent (fractions or multiples) of the SFR and are referenced as ESFR charge units. The Correction Factor is 1.00 if the wastewater discharge equals the volume, BOD, SS of the SFR. Adjustment Factors may be applied in acknowledgement of potable water consumption not discharged to the sanitary sewer.